

2020-2021

SERVING THE
DENTAL INDUSTRY
FOR OVER
25 years!

WE THINK GREEN!



TECHWEST INC

RETAIL PRICE INDEX

TERMS AND CONDITIONS

Prices are subject to change without notice.

No returns are approved without first acquiring a return authorization (R.A.) number. All returns are subject to a 15% restock charge. No returns are authorized after 60 days from the date of shipment.

Payment terms are cash with order or a net payment of 30 days on approved credit. A finance charge of 1 1/2% per month will be charged to an account over 30 days.

A credit line must be established on all open accounts.

Any customer who has allowed their account to become delinquent shall pay Tech West for all legal costs incurred during the necessary collection process.

Any customer allowing their account to become delinquent for extended periods beyond our normal terms will lose their privilege of selling the Tech West product line.

WARRANTY

All warranties are limited and are detailed on separate product warranty cards. For full details on warranty periods and coverage contact Tech West's factory or an authorized dealer in your area for the appropriate warranty form.

This warranty shall begin from the date of the original purchase with an additional 15 days allowed for transportation and installation.

If repair is required during the warranty period, it is necessary to call Tech West for a return authorization (R.A.) number. New products will be repaired or replaced at the option of the Tech West factory repair facility.

All return shipments for repair must be shipped freight prepaid. No shipments marked "collect" will be accepted. Acquire an R.A. number before returning products.

Should any product carrying this warranty become damaged or defective due to improper use, handling, installation, care, or an act of nature, this warranty will not apply.

The terms, conditions and warranties contained herein supersede all previous terms, conditions and warranties, written, expressed or implied, and are in effect January 1, 2005

ALL PARTS HAVE A 90 DAY WARRANTY UNLESS OTHERWISE SPECIFIED.




TECHWEST^{INC}

Table of Contents

| | |
|--|---------------|
| Vacuum Pump Legend | pg. 3 |
| Evacuation System Cleaner | pg. 4 |
| Amalgam Separator | pg. 5 |
| EcoVac Dry Vacuum | pg. 6 |
| Whirlwind Liquid Ring Vacuum Pump | pg. 7 |
| Stainless Steel Liquid Ring Vacuum Pump | pg. 8 |
| Large Facility EcoVac Dry Vacuum | pg. 9 |
| Compressor Legend | pg. 10 |
| Elite Series Ultra Clean Oilless Compressor | pg. 11 |
| The Elite Series Rocky Oilless Compressor | pg. 12 |
| Large Facility Lubricated Compressor | pg. 13 |
| Remote Control Panels | pg. 14 |
| Water Manifolds | pg. 15 |
| Ultra Clean Air Dryers | pg. 15 |
| Pump Accessories | pg. 16 |
| Accessories | pg. 17 |

LEGENDS TO HELP YOU DECODE OUR PART NUMBERS

LIQUID RING VACUUM PUMP PART NUMBER LEGEND



TECH WEST EVACUATION SYSTEM CLEANER



Evacuation System Cleaner

The amount of waste residue (Biofilm/plaque) clogging down your evacuation system depends on the age of your facility, water supply pH, chemical cleaner in use, and how much/often it was used. The Restore Protocol will release the Biofilm/plaque material from the inside of your lines/pipes.

Tech West's Microbial Formula digests organic matter and solids which **GUARANTEES TO MAINTAIN SUCTION PERFORMANCE** and "ELIMINATE" Daily Trap Hand Cleaning. 100% All Natural & Biodegradable. Non-Foaming & SAFE for humans, animals, plants and pipes.

EcoStar-eVac Cleaner comes in two different sizes and the initial amount used to restore the system depends on the age of the system. Detailed instructions are available upon request. It is recommended that EcoStar-eVac Cleaner be used to maintain your system once it is initially cleaned. This will insure cleanliness and long life of the system.

| PART# | DESCRIPTION | | LIST PRICE |
|---------|----------------------------|--------|------------|
| ESC-16 | EcoStar-eVac Cleaner | 16 oz. | 47.00 |
| ESC-32 | EcoStar-eVac Cleaner | 32 oz. | 83.00 |
| ESC-KIT | EcoStar HVE & Si Dispenser | 16 oz. | 78.00 |

Note: It is recommended to use 4 oz / chair per month

TECH WEST OFFERS

the NXT Hg5 AMALGAM SEPARATOR



The NXT Hg5 provides the complete solution:

- New compact design, for hard to fit areas
- Functional with all wet and dry Vacuums
- Environmentally friendly packaging
- Meets all EPA Dental Rule requirements
- ISO 11143:2008 Certified by NSF Int.

The Solmetex has quickly become the industry leader in Amalgam Separation. What makes Solmetex different is the "Total Solution Approach" – Integrating the simple design of the NXT Hg5 with waste handling and recycling into the complete product line, providing a truly green set of solutions for the dental practice.

| DESCRIPTION | PART NUMBER | HEIGHT | WIDTH | DEPTH | LIST PRICE |
|---------------------|-------------|--------|-------|-------|------------|
| NXT Hg5 | ESAS-100 | 30 | 11 | 8 | 1060 |
| NXT Hg5 High Volume | ESAS-100H | 28 | 18 | 22.5 | 2860 |

A 5 YEAR WARRANTY

FDA
RECOGNIZED

TECH WEST ECOVAC DRY VACUUM PUMP

Our EcoVac system provides the advantages of proven technology, durable construction, quiet operation and oil-free performance with the latest in water and energy-saving features. This is not only important to you as an environmentally responsible business owner, it also prepares your practice for the upcoming change to metered water usage in many areas of the country. We utilize a Variable Frequency Drive (VFD) to control the vacuum levels. With no suction being used, the motor is running one third the speed and using very little power. Every time a suction hose is being used the motor automatically speeds up to maintain constant suction.

Maintenance free unit with no traps to clean, no oil to check or change. Truly a ZERO maintenance machine.



ECO DRY-VAC SYSTEMS

| MODEL NUMBER | MAX USERS | # OF HEADS | TOTAL H.P. | CFM @ 8 HG | TANK GALLONS | VOLTAGE | TOTAL AMPS | BREAKER SIZE | DB(A) | EQUIP. WEIGHT | EQUIP. HEIGHT | EQUIP. WIDTH | EQUIP. DEPTH | SHIPPING WEIGHT | SHIPPING HEIGHT | SHIPPING WIDTH | SHIPPING DEPTH | LIST PRICE |
|--------------|-----------|------------|------------|------------|--------------|---------|------------|--------------|-------|---------------|---------------|--------------|--------------|-----------------|-----------------|----------------|----------------|------------|
| VPD2S2 | 2-3 | 1 | 1 | 20 | 14 | 208/230 | 10 | 20 | 60 | 139 | 52 | 23 | 20 | 226 | 43 | 43 | 30 | 10,977.00 |
| VPD4D2 | 4-6 | 2 | 2 | 40 | 14 | 208/230 | 10 | 2X20 | 62 | 282 | 39 | 40 | 20 | 352 | 43 | 43 | 30 | 20,216.00 |
| VPD5S2 | 5-7 | 1 | 2 | 45 | 14 | 208/230 | 12 | 20 | 62 | 139 | 52 | 23 | 20 | 226 | 43 | 43 | 30 | 12,277.00 |
| VPD10D2 | 10-14 | 2 | 4 | 90 | 30 | 208/230 | 24 | 2X20 | 62 | 282 | 39 | 40 | 20 | 469 | 43 | 43 | 30 | 23,105.00 |
| VPD15T2 | 15-21 | 3 | 6 | 110 | 40 | 208/230 | 36 | 3X20 | 62 | 402 | 60 | 40 | 20 | 629 | 45 | 48 | 32 | 37,799.00 |

DVU-S Upgrade 2-3 user single to 5-7 user: 1,002.00

DVU-D Upgrade 4-6 user dual to 10-14 user: 3,157.00

5 YEAR WARRANTY OR 5000 HRS WHICH EVER COMES FIRST

FDA
RECOGNIZED

Exceeds NFPA 99C Guidelines

TECH WEST

WHIRLWIND LIQUID RING VACUUM PUMP

Tech West Dental Pumps have proven to be unsurpassed in technology and performance providing a vacuum system you can rely on for years to come without expensive repairs or maintenance costs. Whirlwind pumps are available in single, dual or triple configurations. Air-water separators and water recyclers are also available for all pumps. Tech West Liquid Ring pumps carry the longest warranty in the industry. Tech West will provide technical assistance with electrical and plumbing design upon request.



Tech West Exclusive Warranty
5 • 4 • 3
5 years on the motor shaft
4 years on the brass components
3 years on all other components



| MODEL NUMBER * | # OF USERS | VOLTAGE | BREAKER SIZE | H.P. | WATER RECYCLER | AIR WATER SEPARATORS | EQUIP. HEIGHT | EQUIP. DEPTH | EQUIP. WIDTH | SHIPPING HEIGHT | SHIPPING DEPTH | SHIPPING WIDTH | LIST PRICE | | |
|----------------|------------|---------|--------------|-------|----------------|----------------------|---------------|--------------|--------------|-----------------|----------------|----------------|------------|-----|-----------|
| VPL2SS | 2 | 115/230 | 20 | 1 | NO | NO | 16 | 13 | 13 | 59 | 22 | 16 | 16 | 75 | 2,888.00 |
| VPL2SSR | 2 | 115/230 | 20 | 1 | YES | NO | 16 | 13 | 13 | 59 | 22 | 16 | 16 | 75 | 3,126.00 |
| VPL3SS | 3 | 115/230 | 20 | 1.5 | NO | NO | 18 | 13 | 13 | 66 | 22 | 16 | 16 | 81 | 3,255.00 |
| VPL3SSR | 3 | 115/230 | 20 | 1.5 | YES | NO | 18 | 13 | 13 | 66 | 22 | 16 | 16 | 81 | 3,487.00 |
| VPL4S2 | 4 | 208/230 | 20 | 2 | NO | NO | 18 | 13 | 13 | 66 | 22 | 16 | 16 | 82 | 3,607.00 |
| VPL4S2R | 4 | 208/230 | 20 | 2 | YES | NO | 18 | 13 | 13 | 66 | 22 | 16 | 16 | 82 | 3,848.00 |
| VPL4D2 | 4 | 208/230 | 2X20 | 2X1 | NO | YES | 30 | 20 | 30 | 171 | 34 | 23 | 37 | 191 | 6,017.00 |
| VPL4D2R | 4 | 208/230 | 2X20 | 2X1 | YES | YES | 30 | 20 | 30 | 171 | 34 | 23 | 37 | 191 | 6,497.00 |
| VPL6D2 | 6 | 208/230 | 2X20 | 2X1.5 | NO | YES | 30 | 20 | 30 | 180 | 34 | 23 | 37 | 201 | 7,100.00 |
| VPL6D2R | 6 | 208/230 | 2X20 | 2X1.5 | YES | YES | 30 | 20 | 30 | 180 | 34 | 23 | 37 | 201 | 7,581.00 |
| VPL8D2 | 8 | 208/230 | 2X20 | 2X2 | NO | YES | 30 | 20 | 30 | 182 | 34 | 23 | 37 | 204 | 7,581.00 |
| VPL8D2R | 8 | 208/230 | 2X20 | 2X2 | YES | YES | 30 | 20 | 30 | 182 | 34 | 23 | 37 | 204 | 8,064.00 |
| VPL6T2 | 6 | 208/230 | 3X20 | 3X1 | NO | YES | 30 | 20 | 41 | 255 | 34 | 23 | 48 | 280 | 9,152.00 |
| VPL6T2R | 6 | 208/230 | 3X20 | 3X1 | YES | YES | 30 | 20 | 41 | 255 | 34 | 23 | 48 | 280 | 9,870.00 |
| VPL9T2 | 9 | 208/230 | 3X20 | 3X1.5 | NO | YES | 30 | 20 | 41 | 260 | 34 | 23 | 48 | 289 | 10,477.00 |
| VPL9T2R | 9 | 208/230 | 3X20 | 3X1.5 | YES | YES | 30 | 20 | 41 | 260 | 34 | 23 | 48 | 289 | 11,200.00 |
| VPL12T2 | 12 | 208/230 | 3X20 | 3X2 | NO | YES | 30 | 20 | 41 | 264 | 34 | 23 | 48 | 289 | 11,320.00 |
| VPL12T2R | 12 | 208/230 | 3X20 | 3X2 | YES | YES | 30 | 20 | 41 | 264 | 34 | 23 | 48 | 289 | 12,042.00 |

Exceeds NFPA 99C Guidelines



FDA
RECOGNIZED

TECH WEST

GOLDENVAC STAINLESS STEEL VACUUM PUMP

Tech West GoldenVac has proved to be the industry leader in design and performance. A vacuum system you can rely on for years to come. All GoldenVac vacuum pumps have an exclusive warranty with 10 years on all stainless steel pump components, 5 years on the motor shaft and all other components have 3 years. The GoldenVac vacuum pumps have an investment cast stainless steel impeller with a radical new design that improves performance by 20% over other pumps. The stainless steel castings provide maximum durability to prevent wear from air abrasion and ceramic particles, or hard water conditions. All motors are thermally protected and are cap-start, cap-run. This will lower the electrical consumption of the pump. Water recyclers and air-water separators are available for all pumps. The GoldenVacs are available in single, dual, or triple configurations. Tech West will provide plumbing and electrical designs upon request.

EXCLUSIVE 10 YEAR WARRANTY



| MODEL NUMBER | # OF USERS | VOLTAGE | BREAKER SIZE | H.P. | AIR/WATER SEP | DB(A) | EQUIP. HEIGHT | EQUIP. DEPTH | EQUIP. WIDTH | SHIPPING HEIGHT | SHIPPING DEPTH | SHIPPING WIDTH | LIST PRICE | | |
|--------------|------------|---------|--------------|------|---------------|-------|---------------|--------------|--------------|-----------------|----------------|----------------|------------|-----|-----------|
| VPLG3SS | 3 | 115/230 | 20 | 1 | NO | 70 | 18 | 13 | 13 | 69 | 22 | 16 | 16 | 85 | 3,786.00 |
| VPLG3SSR | 3 | 115/230 | 20 | 1 | NO | 70 | 18 | 13 | 13 | 69 | 22 | 16 | 16 | 87 | 4,043.00 |
| VPLG5SS | 5 | 115/230 | 20 | 2 | NO | 70 | 18 | 13 | 13 | 69 | 22 | 16 | 16 | 85 | 4,083.00 |
| VPLG5SSR | 5 | 115/230 | 20 | 2 | NO | 70 | 18 | 13 | 13 | 69 | 22 | 16 | 16 | 87 | 4,340.00 |
| VPLG6D2 | 6 | 208/230 | 2X20 | 2X1 | YES | 72 | 30 | 20 | 28 | 188 | 34 | 23 | 37 | 210 | 7,796.00 |
| VPLG6D2R | 6 | 208/230 | 2X20 | 2X1 | YES | 72 | 30 | 20 | 28 | 188 | 34 | 23 | 37 | 212 | 8,453.00 |
| VPLG10D2 | 10 | 208/230 | 2X20 | 2X2 | YES | 72 | 30 | 20 | 28 | 188 | 34 | 23 | 37 | 210 | 8,295.00 |
| VPLG10D2R | 10 | 208/230 | 2X20 | 2X2 | YES | 72 | 30 | 20 | 28 | 188 | 34 | 23 | 37 | 212 | 8,978.00 |
| VPLG15T2 | 15 | 208/230 | 3X20 | 3X2 | YES | 74 | 30 | 20 | 41 | 273 | 34 | 23 | 37 | 298 | 12,511.00 |
| VPLG15T2R | 15 | 208/230 | 3X20 | 3X2 | YES | 74 | 30 | 20 | 41 | 273 | 34 | 23 | 37 | 300 | 13,388.00 |

FDA
RECOGNIZED

Exceeds NFPA 99C Guidelines



TECH WEST

LARGE FACILITY ECO DRY-VAC SYSTEMS

Tech West Large Facility EcoVac Vacuum Systems are on the leading edge of technology in design and performance. These high performance vacuum systems are designed to provide continuous suction while moving large amounts of air. We use a turbine type blower that is very quiet. The energy efficient motors are maintenance free. The centrifugal vacuum is a skid mounted design that is pre-plumbed and pre-wired and is completely self contained and ready for installation. These high performance units range in size from 2hp to 30hp with air flows ranging from 20 scfm to 1200 scfm while holding 8 inches of mercury.

| MODEL NUMBER | TANK SIZE | NUMBER OF USERS | DESCRIPTION |
|--------------|-----------|-----------------|--------------------------------|
| VPD20S5 | 40g | 20 | SINGLE MOTOR 10 HP, 3 PHASE |
| VPD20D5 | 80g | 20 | DUAL MOTOR 2 X 5 HP, 3 PHASE |
| VPD30D5 | 80g | 30 | DUAL MOTOR 2 X 7.5 HP, 3 PHASE |
| VPD40D5 | 120g | 40 | DUAL MOTOR 2 X 10 HP, 3 PHASE |
| VPD60D5 | 120g | 60 | DUAL MOTOR 2 X 15 HP, 3 PHASE |
| VPD80D5 | 120g | 80 | DUAL MOTOR 2 X 20 HP, 3 PHASE |
| VPD120D5 | 2-120g | 120 | DUAL MOTOR 2 X 30 HP, 3 PHASE |

Call for pricing and additional specifications




TECH WEST CENTRIFUGAL VACUUMS CARRY A FULL 5 YEAR/5000 WARRANTY

Exceeds NFPA 99C Guidelines

FDA
RECOGNIZED

LEGENDS TO HELP YOU DECODE OUR PART NUMBERS

ULTRA CLEAN AIR COMPRESSOR PART NUMBER LEGEND



FAMILY

AC

AIR
COMPRESSOR

TYPE

L

L = LUBRICATED
O = OILLESS

USERS

2

FIELD VALUE
= NUMBER OF
SIMULTANEOUS
USERS

OF MOTORS

S

S = SINGLE
D = DUAL
T = TRIPLE


VOLTAGE

1

1 = 115
2 = 208 / 230
3 = 220 / 50
4 = 240 / 50
5 = 230 / 460

NEW TECH WEST ELITE SERIES ULTRA CLEAN OILLESS COMPRESSOR

Our Elite Series Oilless Air Compressor system provides the advantages of proven technology, durable construction, quiet operation and oil-free performance with the latest in energy-saving features. This is important to you as an environmentally responsible business owner.



ELITE SERIES OILLESS AIR COMPRESSOR SERIES

| MODEL NUMBER | MAX USERS | AIR DRYER | QUIET COVER | # OF HEADS | TOTAL H.P. | CFM | TANK GALLONS | VOLTAGE | TOTAL AMPS | BREAKER SIZE | DB(A) | EQUIP. WEIGHT | EQUIP. HEIGHT | EQUIP. WIDTH | EQUIP. DEPTH | SHIPPING WEIGHT | LIST PRICES |
|--------------|--------------------------------------|-----------|-------------|------------|------------|------|--------------|---------|------------|--------------|-------|---------------|---------------|--------------|--------------|-----------------|-------------|
| ACO2S2 | 2-3 | YES | NO | 1 | 1.5 | 5.5 | 10 | 208/230 | 8 | 20 | 70 | 180 | 30 | 28 | 20.5 | 225 | 7,559 |
| ESCD-100S | QUIET COVER: OPTIONAL FOR THE ACO2S2 | | | | | | | | | | 68 | 50 | 32 | 28 | 20.5 | 50 | 1,175 |
| ACO4D2 | 5-7 | YES | NO | 2 | 3 | 11 | 20 | 208/230 | 16 | 20 | 72 | 248 | 34 | 38 | 22 | 298 | 11,234 |
| ACO6T2 | 8-10 | YES | NO | 3 | 4.5 | 16.5 | 30 | 208/230 | 25.5 | 40 | 74 | 320 | 36 | 46 | 25 | 368 | 15,749 |
| ESCD-100 | QUIET COVER: OPTIONAL FOR THE ACO4D2 | | | | | | | | | | 68 | 50 | 38 | 29 | 22 | 50 | 1,575 |



214014

A 5 YEAR or 3500 HR MOTOR WARRANTY. All other components carry a 2 year warranty


Exceeds NFPA 99C Guidelines

FDA
RECOGNIZED

www.tech-west.com

NEW TECH WEST ELITE SERIES ROCKY OILLESS AIR COMPRESSOR

The Tech West Rocky Series Oilless Air Compressors provide 100% oil free air to the dental office. With our high performance air drying system, we guarantee the clean dry air you expect. The design of the Tech West Rocky Series Air Compressor provides smooth, quiet, vibration free operation at only 65 dB-a noise level. We offer them in a twin configuration to meet most any need of today's Dental Practice. Tech West will provide full plumbing and electrical design upon request.



| MODEL NUMBER | MAX USERS | AIR DRYER | QUIET COVER | # OF HEADS | TOTAL H.P. | CFM | TANK GALLONS | VOLTAGE | TOTAL AMPS | BREAKER SIZE | DB(A) | EQUIP. HEIGHT | EQUIP. HEIGHT | EQUIP. WIDTH | EQUIP. DEPTH | SHIPPING WEIGHT | SHIPPING HEIGHT | SHIPPING WIDTH | SHIPPING DEPTH | LIST PRICE |
|--------------|-----------|-----------|-------------|------------|------------|-----|--------------|---------|------------|--------------|-------|---------------|---------------|--------------|--------------|-----------------|-----------------|----------------|----------------|------------|
| ACOR2D1 | 2-3 | YES | NO | 2 | 1.5 | 5.2 | 10 | 115 | 11 | 20 | 68 | 175 | 28 | 28 | 20.5 | 220 | 37 | 35 | 30 | 7,349.00 |
| ACOR2D1Q | 2-3 | YES | YES | 2 | 1.5 | 5.2 | 10 | 115 | 11 | 20 | 64 | 210 | 31 | 28 | 20.5 | 255 | 41 | 42 | 31 | 8,399.00 |
| ACOR2D2 | 3-4 | YES | NO | 2 | 1.5 | 7.4 | 10 | 208/230 | 8 | 20 | 68 | 175 | 28 | 28 | 20.5 | 220 | 37 | 35 | 30 | 7,349.00 |
| ACOR2D2Q | 3-4 | YES | YES | 2 | 1.5 | 7.4 | 10 | 208/230 | 8 | 20 | 64 | 210 | 31 | 28 | 20.5 | 255 | 41 | 42 | 31 | 8,399.00 |

A 5 YEAR 3500 HOUR MOTOR WARRANTY. All other components carry a 2 year warranty.

Exceeds NFPA 99C Guidelines

FDA
RECOGNIZED



TECH WEST

LARGE FACILITY AIR COMPRESSORS

Tech West large facility air compressors lead the industry in design, quality and performance providing clean, oil free, dry air to the dental office. Compressors have energy efficient motors, totally enclosed OSHA approved fan guard, magnetic motor starters with overload protection, discharge air coalescing filters and regulator. The large facility compressors come with refrigerant air dryers. All compressors are wired for 24V remote switching and are ready for installation. Tech West will provide technical assistance with plumbing and electrical needs upon request.



| MODEL NUMBER | NUMBER OF USERS | DESCRIPTION |
|--------------|-----------------|-------------------------------|
| ACL10S2 | 10 | SINGLE MOTOR, 5 HP, 1 PHASE |
| ACL10S5 | 10 | SINGLE MOTOR, 5 HP, 3 PHASE |
| ACL20D5 | 20 | DUAL MOTOR, 5 HP, 3 PHASE |
| ACL15S5 | 15 | SINGLE MOTOR, 7.5 HP, 3 PHASE |
| ACL30D5 | 30 | DUAL MOTOR, 7.5 HP, 3 PHASE |
| ACL20S5 | 20 | SINGLE MOTOR, 10 HP, 3 PHASE |
| ACL40D5 | 40 | DUAL MOTOR, 10 HP, 3 PHASE |
| ACL30S5 | 30 | SINGLE MOTOR, 15 HP, 3 PHASE |
| ACL60D5 | 60 | DUAL MOTOR, 15 HP, 3 PHASE |
| ACL80D5 | 80 | DUAL MOTOR, 20 HP, 3 PHASE |

Call for pricing and additional specifications

TECH WEST LARGE FACILITY AIR COMPRESSORS HAVE A FULL 2 YEAR WARRANTY

Exceeds NFPA 99C Guidelines

FDA
RECOGNIZED

TECH WEST

REMOTE CONTROL PANELS

Tech West's Remote Control Panels offer a wide variety of different models to suit most any need. All the panels are brushed aluminum with a clear anodized coating that can be mounted onto standard electrical junction boxes. The lighted push buttons are engraved in black to clearly indicate which piece of equipment is on or off.



| PART # | DESCRIPTION | HEIGHT | WIDTH | RETAIL PRICE |
|-----------|---------------------------------|-------------------------------|-------------------------------|--------------|
| CP-1V | CONTROL PANEL 1 VAC | 4 ¹ / ₂ | 4 ¹ / ₂ | 197.00 |
| CP-1V1A | CONTROL PANEL 1 VAC 1 AIR | 4 ¹ / ₂ | 4 ¹ / ₂ | 371.00 |
| CP-1V1A1W | CONTROL PANEL 1 VAC 1 AIR 1 H2O | 4 ¹ / ₂ | 6 ¹ / ₂ | 469.00 |
| CP-2A1W | CONTROL PANEL 2 AIR 1 H2O | 4 ¹ / ₂ | 6 ¹ / ₂ | 495.00 |
| CP-2V | CONTROL PANEL 2 VAC | 4 ¹ / ₂ | 4 ¹ / ₂ | 371.00 |
| CP-2V1A | CONTROL PANEL 2 VAC 1 AIR | 4 ¹ / ₂ | 6 ¹ / ₂ | 495.00 |
| CP-2V1A1W | CONTROL PANEL 2 VAC 1 AIR 1 H2O | 4 ¹ / ₂ | 6 ¹ / ₂ | 569.00 |
| CP-3V | CONTROL PANEL 3 VAC | 4 ¹ / ₂ | 6 ¹ / ₂ | 495.00 |
| CP-3V1A | CONTROL PANEL 3 VAC 1 AIR | 4 ¹ / ₂ | 6 ¹ / ₂ | 495.00 |
| CP-3V1A1W | CONTROL PANEL 3 VAC 1 AIR 1 H2O | 4 ¹ / ₂ | 6 ¹ / ₂ | 618.00 |
| CP-4V | CONTROL PANEL 4 VAC | 4 ¹ / ₂ | 6 ¹ / ₂ | 495.00 |

TECH WEST WATER MANIFOLDS

Tech West's Water Manifolds offer safe after hours protection for today's dental offices. Just push a button on the remote control panel and the water is off. Manifolds are available with or without a filter and with or without a low voltage contactor. The 3/4" unit has a clear filter housing and the 1" has a blue housing.



| PART # | DESCRIPTION | HEIGHT | WIDTH | DEPTH | WEIGHT | RETAIL PRICE |
|------------|-----------------------------------|--------|--------|-------|--------|--------------|
| WB-100 | WTR BYPASS 1" NO FILTER | 13 | 19 | 4 | 16 | 1,362.00 |
| WB-100-RC | WTR BYPASS 1" NO FILTER W/RELAY | 13 | 19 | 4 | 22 | 1,486.00 |
| WB-750 | WTR BYPASS 3/4" NO FILTER | 10 | 15 1/2 | 4 | 13 | 804.00 |
| WB-750-RC | WTR BYPASS 3/4" NO FILTER W/RELAY | 10 | 15 1/2 | 4 | 18 | 990.00 |
| WBF-100 | WTR BYPASS FILTER 1" NO RELAY | 24 | 25 | 7 1/2 | 25 | 1,610.00 |
| WBF-100-RC | WTR BYPASS FILTER 1" W/RELAY | 24 | 25 | 7 1/2 | 31 | 1,859.00 |
| WBF-750 | WTR BYPASS FILTER 3/4" NO RELAY | 21 | 19 1/2 | 6 | 15 | 1,053.00 |
| WBF-750-RC | WTR BYPASS FILTER 3/4" W/RELAY | 21 | 19 1/2 | 6 | 18 | 1,238.00 |

| PART # | DESCRIPTION | WEIGHT | RETAIL PRICE |
|---------|------------------------------|--------|--------------|
| WFE-750 | 3/4" FILTER ELEMENT PKG OF 4 | 3 | 103.00 |
| WFE-100 | 1" FILTER ELEMENT PKG OF 4 | 8 | 205.00 |

TECH WEST WATER MANIFOLDS HAVE A FULL 2 YEAR WARRANTY

TECH WEST DESICCANT AIR DRYER

Tech West's Ultra Clean Desiccant Air Dryer offers more standard features than any other manufacturer. Our dryer includes coalescing air filter with a .01 micron rating at 99.98% efficiency, moisture indicator and bypass valve, wall mounting bracket, hoses and fittings to hook it up to most any air compressor. These air dryers are easy to install, require minimal maintenance and when service is needed you can replace the desiccant cartridge and coalescing filter in less than ten minutes.

| SYSTEM PART # | DESCRIPTION | CAPACITY | HEIGHT | WIDTH | DEPTH | WEIGHT | RETAIL PRICE |
|---------------|---------------------------|----------|--------|-------|-------|--------|--------------|
| UCAD6S-115 | SINGLE 115 VOLT AIR DRYER | 5 CFM | 24 | 14 | 12 | 74 | 2,229.00 |
| UCAD6S-230 | SINGLE 230 VOLT AIR DRYER | 5 CFM | 24 | 14 | 12 | 75 | 2,229.00 |
| UCAD12D-230 | DUAL 230 VOLT AIR DRYER | 10 CFM | 24 | 14 | 12 | 75 | 2,473.00 |
| UCAD18T-230 | TRIPLE 230 VOLT AIR DRYER | 15 CFM | 24 | 17 | 12 | 76 | 2,721.00 |



- UCAD6S Dryers come with one hose and check valve for single head compressor.
- UCAD12D Dryers come with two hoses and check valves for dual head compressor
- UCAD18T Dryers come with three hoses and check valves for triple head compressor

TECH WEST PUMP ACCESSORIES



WATER RECYCLER

Tech West's water recycler is a simple yet effective way to save as much as 70% of water consumption. It is factory installed on the pump or can be field installed with ease.

| PART# | DESCRIPTION | PRICE |
|---------|--------------------|--------|
| WRK-100 | WATER RECYCLER KIT | 284.00 |



P-TRAP ADAPTER

The P-Trap adapter is designed to be used with all Whirlwind Pump models with exhaust separators. The separator waste connection may be hooked to the P-Trap Adapter without worry of splash or vapor contamination. It includes a 1 1/2" ABS slip connection to P-Trap, a stainless steel bridge assembly with 90 degree PVC elbow and adapters for 3/4 drain flex lines.

| PART# | PRICE |
|---------|--------|
| PTA-100 | 110.00 |

STACKING RACK

The stacking rack is designed to reduce the space required to install vacuum and air equipment by about half. The space savings is achieved by placing the stacking rack over your compressor and installing your platform mounted whirlwind pumps on the rack. The stacking rack fits both the dual and triple vacuum systems.



| PART # | HEIGHT | WIDTH | DEPTH | WEIGHT | RETAIL PRICE |
|--------|--------|-------|-------|--------|--------------|
| SR-100 | 39 | 43 | 27 | 75 | 867.00 |

AIR WATER SEPARATOR WITH VAPOR STOP

Air-water separators are available in single, dual, and triple models. They are designed to separate the liquids entrained in the exhaust. A vapor-stop fitting allows the liquids to create a gas and vapor trap, thereby eliminating odors and contaminants from entering the equipment location. All models include vapor-stop, hoses, fittings, P-trap adapter and a mounting bracket.



| PART # | DESCRIPTION | HEIGHT | WIDTH | DEPTH | WEIGHT | RETAIL PRICE |
|--------|-------------|--------|-------|-------|--------|--------------|
| ES-1 | SINGLE | 16 | 16 | 9 | 18 | 433.00 |
| ES-2 | DUAL | 16 | 16 | 9 | 18 | 496.00 |
| ES-3 | TRIPLE | 16 | 16 | 11 | 18 | 559.00 |

TECH WEST ACCESSORIES

COMPRESSOR OIL

Our compressor oil is specially formulated for our oil lubricated compressors. It is a very high grade of synthetic lubricant with an additive to help reduce piston friction and wear.



PART# CO-100 PRICE 56.00
(Case of 4)

RELAY CONTROL 24V/115-230V

For 24V remote switching of compressors, water manifolds, and other electrical devices. Relay provides 40 amp. resistive load capability, 30VA and 24 VAC transformer. Fused on 2.



| PART# | DESCRIPTION | PRICE |
|--------|--------------------|--------|
| RC-115 | 115V RELAY CONTROL | 279.00 |
| RC-230 | 230V RELAY CONTROL | 279.00 |

BOOST TRANSFORMER

When line voltage at an installation site is below 208 volts for a Whirlwind pump or Ultra Clean compressor, it is recommended that a boost transformer be installed. They are pre-wired for quick installation. Select your booster based on total horsepower of your Whirlwind pump or Ultra Clean compressor. All dual and triple model Whirlwinds should use individual boosters for each vacuum pump or separate circuits.



| PART # | DESCRIPTION | WEIGHT | RETAIL PRICE |
|----------|-------------|--------|--------------|
| BT-1-115 | 1 HP 115 V. | 18 | 618.00 |
| BT-1-230 | 1 HP 230 V. | 18 | 618.00 |
| BT-2-230 | 2 HP 230 V. | 18 | 742.00 |
| BT-3-230 | 3 HP 230 V. | 23 | 867.00 |



TECHWEST INC

Manufacturers of Dental Vacuum
and Air Systems

2657 N. Argyle Ave. • Fresno, CA 93727
(559) 291-1650 • (800) 428-7139
FAX (559) 348-9677
www.tech-west.com

Revised 2/20